OTS: 60-11,396

JPRS: 2367

12 March 1960

## SOVIET ABSTRACTS BIOLOGY

SECTION O - PLANT DISEASES

Book No. 1, 1959

Abstracts 1956 thru 2021

DTIC QUALITY INSPECTED 2

Approved for public released

Distribution Unbrased

Distributed by:

OFFICE OF TECHNICAL SERVICES U. S. DEPARTMENT OF COMMERCE WASHINGTON 25, D. C.

Extens \$1/00

19980109 062

U. S. JOINT PUBLICATIONS RESEARCH SERVICE 205 EAST 42nd STREET, SUITE 300 NEW YORK 17, N. Y.

JPRS: 2367

CSO: R-2450-N/o

## ABSTRACTS FROM REFERATIVNYY ZHURNAL - BIOLOGIYA, No. 1, 1959

This report consists of complete translations of those entries in the Soviet Biology Abstracts Journal No. 1, 1959, which were originally published in the Sino-Soviet bloc and in Yugoslavia.

The Soviet subject classification system used in the original Russian language abstracts has been followed in this publication. USSR/Plant Diseases - General Problems.

C

0

Abs Jour : Ref Zhur Biol., No 1, 1959, 1956

Author : Lebedeva, L.N.

Inst : State Mountain Forest Preservation

Title : Microflora and Diseases of Wood Underbrush Vegetation

of the Mountain-Forest Preservation

Orig Pub : Tr. Gorno-lesn. gos. zapovedn., 1958, vyp. 1, 80-93

Abstract: Data on 237 species of fungi gathered in different periods of vegetation - spring, summer, fall - are

divided according to regions corresponding to the botanical distribution of vegetation in the national forest. Of the number of designated fungi, 29 species were isolated as general ones encountered in all regions at different altitudes in different seasons. A list of these

species is presented.

Card 1/1

GDR/Plant Diseases - General Problems.

Abs Jour : Ref Zhur Biol., No 1, 1959, 1965

Author : Sandvoss, H.

Inst -

Title : Remnants of Poisons Applied in Spraying of Fruits,

Vegetables, and Other Produce

Orig Pub : Dtsch. Gartenbau, 1956, 3, No 10, 262-265

Abstract: Data of the Leipzig laboratory (GDR) are presented on the microchemical and biological (on Musca domestica) determinations of the amount of poison content in fruits, vegetables, and grasses after the spraying of plants.

Critical toxic doses are established and the change in

toxicity of different fungicides and insecticides while under the influence of light, air, and moisture. --

A.D. Kuz'mina

USSR/Plant Diseases. Diseases of Forest Species.

0

Abs Jour

: Ref Zhur Biol., No 1, 1959, 1974

Author

Ibragimov, I.A.

Inst

Bushkir Agricultural Institute

Title

Problem of Withering in Poplar Plantings in Bashkir

ASSR

Orig Pub

Tr. Bashkirsk, s.-kh. in-ta, 1957, No 2, 265-278

Abstract

Withering of the poplar stands in Bashkir ASSR was noted in 1951-1952, during which period there was a gradual decrease (from 1940) in atmospheric precipitation. Analysis of the structure of 16 year-old plants of balsam poplars showed that trees of smaller diameter generally dried out in the crowded part of the tree stand, and the waste according to the number of trunks consisted of 37.3%; plants of Chinese poplars on segregated plots

Card 1/2

USSR/Plant Diseases - Diseases of Forest Species.

)

Abs Jour

Ref Zhur Biol., No 1, 1959, 1974

dried out completely. In the drying out of the plants a malignant disease was observed which contributed to the withering of the bark and combium on isolated parts, and sometimes it extended all around the trunk. On the withered bark there were observed 2 types of bacteria and 16 species of fungi, among which predominated Cytospora chrysosperma. Artificial infection (inoculation) showed that this same fungus was capable of producing the malignant disease in healthy woods of the poplar, provided the inoculations were carried out on parts of the trunk with injured bark. The least resistant against the malignant disease was the Berlin poplar, average was the Chinese poplar, the most resistant was the balsam poplar. The reason for the drying out and the malignant disease of the poplars was a physiological weakening of the trees. -- D.I. Deryabin

RUMANIA/Plant Diseases - Diseases of Cultivated Plants.

(

Abs Jour : Ref Zhur Biol., No 1, 1959, 1978

Author : Rafaila, C.

Inst : Scientific Research Institute of Agriculture.

Title : Decontamination and Increased Resistance Toward Diseases of Summer Wheat by Means of Complex Treatment of Seeds.

Orig Pub : An. Inst. cercetari agroni, 1957, 24, No 5, 539-548

Abstract: Experiments were conducted at the Moscow "Order of Lenin"
Agricultural Academy im. K.A. Timiryazev with summer varieties of Moscow wheat. Mercuric preparations tested as fungidices were: preparation 5, lindane (as an insection cide), and microelements (B, Mn, Zn). Seeds were treated with solutions and suspensions with subsequent self-heating for 24 - 36 hours followed by planting, or else the seeds were subjected to dry treatment with fungicides,

Card 1/2

RUMANIA/Plant Diseases - Diseases of Cultivated Plants.

0

Abs Jour : Ref Zhur Biol., No 1, 1959, 1978

and the insecticides and microelements were introduced into the soil in the form of granules with superphosphate. Results of the 3-year laboratory and field experiments revealed the possibility of combining the treatment of seeds by insecto-fungicide preparations and microelements by means of a wet method as well as by introduction of granules of a complex consistency. There was obtained a notable reduction in the risk of smut and brown rust, a lessening in attack by wireworms and fruit flies, and a 34% increase in the harvest. -- G.A. Dykova

POLAND/Plant Diseases - Diseases of Cultivated Plants.

0

Abs Jour : Ref Zhur Biol., No 1, 1959, 1979

Author : Wnekowski, Stanislaw

Inst : '

Title : Dwarf Blight of Wheat

Orig Pub : Postepy nauk rolni, 1957, 4, No 3, 67-74

Abstract

A review is given on literary data about Tilletia brevifaciens, which is differentiated from T. tritici morphologically and biologically. Chlamydospores of T. brevifaciens are germinated with sufficient light and aeration for their further viability in the soil. Infection of the wheat occurs in the fall and early fall at temperatures of 2-8 degrees. This explains the affliction of fall wheat and the absence of attack on summer wheat. In addition to wheat T. brevifaciens can infect Triticum spelta, Secale cereale, Avena clatior, Agropyrum subsecundum, and A. intermedium. Besides the quarantine

Card 1/2

POLAND/Plant Diseases - Diseases of Cultivated Plants.

0

Abs Jour : Ref Zhur Biol., No 1, 1959, 1979

measures in the eradication of dwarf blight there are recommended: dusting of the seeded areas before the appearance of young growth with 50 - 100 kg/hectare of pentachloronitrobenzol; pre-sowing treatment of seeds with triazon, a later date for the sowing of winter wheats; sowing of wheats after leguminous plants and fertilization by manure not advised; substitution of cultivation of winter wheats by summer wheats, and five-year gaps between cultivation of winter wheat on afflicted area. -- B.I. Vergovskiy

POLAND/Plant Diseases - Diseases of Cultivated Plants.

C

Abs Jour

: Ref Zhur Biol., No 1, 1959, 1980

Author

: Pielka, J.

Inst

: -

Title

Septoria Infections in Wheat

Orig Pub

: Hodowla roel, aklimat, i nasienn, 1957, 1, No 5-6,

745-756

Abstract

In 1956 in the Krokow environment Leptosphaeria nodorum (conidial stage of Septoria nodorum) was observed in winter wheat. The ears, in particular, were strongly affected, and the weight of the ear kernels decreased 46%.

Card 1/1

USSR/Plant Diseases - Diseases of Cultivated Plants.

0

Abs Jour

: Ref Zhur Biol., No 1, 1959, 1983

Author

: Guletskaya, Ye.G.

Inst

: Belorussian University

Title

Some Data Concerning the Parasitic Fungus of Grains

Orig Pub

: Uch. zap. Belorussk. un-t., 1957, vyp. 33, 95-98

Abstract

Investigations explaining the development cycle of Erysiphe graminis were conducted from May to September of 1952 - 1953 in Minskaya and Molodechnenskaya Oblasts. It was established that the annula cycle of development of E. graminis depended on meteorological conditions. Thus, in a cool summer after the vegetative period the fungus did not progress to a complete cycle of development, spores did not mature in the pouches in the fall, and the fungus hibernated in the form of fertile bodies.

USSR/Plant Diseases - Diseases of Cultivated Plants.

: Ref Zhur Biol., No 1, 1959, 1983 Abs Jour

> In years with favorable climatic conditions a complete cycle of development transpired with formation and complete maturity of the asconycetous stage, and hibernation of the fungus occurred in the form of nycelia. -- G.A. D'yakova

Card 2/2

USSR/Plant Diseases - Diseases of Cultivated Plants.

Abs Jour

: Ref Zhur Biol., No 1, 1959, 1984

Author

Kachalova, Z.P.

Inst

Moscow Agricultural Academy im. K.A. Timirayazev

Title

Influence of Bacterization of Seeds on Increased Resis-

tance of Wheat and Oats to Diseases.

Orig Pub

Dokl. Mosk. s.-kh. akad. im. K.A. Timiryazeva, 1957,

vyp. 31, 103-109

Abstract

Complex bacterization of wheat and oat seeds with moist heat, vernalization, and fungicides proved to be an effective measure in decreasing the attack on wheat by smut and other diseases and in increasing the harvest. Of bacterial fertilizers the most potent were phosphorus bacteria and nitrogen bacteria.

CHINA/Plant Diseases - Diseases of Cultivated Plants.

Ö

Abs Jour : Ref Zhur Biol., No 1, 1959, 1986

Author

Chang Chih-Yun; Kuo I-Fen

Inst Title

: Differentiation of Agents of Diplodia in Corn

Orig Pub

Chih-ping chihpshih, 1957, 1, No 3, 31-35

Abstract

: Symptoms of the disease and characteristics of the

agents are described and illustrated!

Card 1/1

USSR/Plant Diseases - Diseases of Cultivated Plants.

0

Abs Jour

: Ref Zhur Biol., No 1, 1959, 1987

Author

: Kalashnikov, K.Ya.

Inst

: -

Title

Combined Preparations of TMTD for Caustic Treatment of

Seeds.

Orig Pub

: Kukuruza, 1958, No 2, 52

Abstract

50% preparations of TMTD (tetramethylthiuram disulphide) in a mixture with 12% gamma-isomer of benzine hexachloride proved to be the best caustic treatment for corn seeds in the northern non-black earth zone. This preparation,, as well as mercuran, is applicable for caustic treatment against diseases and for re-sowing treatment against harmful blights. In addition, it contributes toward an

increased harvest. -- L.D. Stonov

USSR/Plant Diseases - Diseases of Cultivated Plants.

0

Abs Jour : Ref Zhur Bioll, No 1, 1959, 1991

Author

: Dunin, M.S., Kalashnikov, K.Ya.

Inst Title

nst : -

System of Measures for the Control of Smut Diseases in

Grain Plants.

Orig Pub

Zashchita rast. ot vredit. i bolezney, 1958, No 3, 26-

29

Abstract : No abstract.

Card 1/1

POLAND/Plant Diseases - Diseases of Cultivated Plants.

0

Abs Jour

: Ref Zhur Biol., No 1, 1959, 1994

Author

: Ksiazek, Danuta

Inst

: -

Title : ]

: Data of World Literature on Viral Diseases of Lupine

Orig Pub

: Postepy nauk roln., 1957, 4, No 3, 75-88

Abstract

No abstract.

USSR/Plant Diseases - Diseases of Cultivated Plants.

Abs Jour

Ref Zhur Biol., No 1, 1959, 1995

Author

Milovidova, L.S.

Inst

Tomsk University

Problem of Diseases of Clover in Tomskaya Oblast'

Orig Pub

: Tr. Tomskogo un-ta, 1957, 141, 103-106

Abstract

Damping-off of clover in the early spring period is due to root decay caused by fungi of the Fusdrium genus. Infection takes place in the spring with the sowing of contaminated seeds: during the course of the vegetative period it proceeds through the soil Clover of 1 yearold plants, and 2 and 3 year-old plants in particular, was subject to infectionnof the roots by the fungus. --

G.D. Uspenskaya

Card 1/1

POLAND/Plant Diseases - Diseases of Cultivated Plants.

Abs Jour

Ref Zhur Biol., No 1, 1959, 1998

Author

Kciazek, Danuta

Inst

Title

Data of World Literature on Viral Diseases of the Onion

and Related Plants.

Orig Pub

: Postepu nauk roln., 1957, 4, No 2, 87-96

Abstract

: A survey. The bibliography lists 27 titles.

RUMANIA/Plant Diseases - Diseases of Cultivated Plants.

0

Abs Jour : Ref Zhur Biol., No 1, 1959, 2000

Author : Comes, I., Ene, Il.

Inst : Scientific Institute of Agriculture, Craiova

Title i Influence of Some Fungicides on Seeds of Vegetable Plants

Orig Pub : Aduarul lucrar. stilnt! Inst. agron. Craiova, Bucuresti, 1957, 339-348

Abstract

Formation, CuSO<sub>4</sub> solutions, and mercuric chloride (in various concentrations) were used in the treatment of seeds of the pepper, cucumber, onion, tomato, and cabbage against phytopathogenic microorganisms transmitted by the seeds. High concentrations of mercuric chloride depressed germination of the treated seeds, and lower concentrations were not effective against the microorganisms; CuSO<sub>4</sub> had no effect on the germination of seeds of the cucumber and cabbage.

Card 1/1

USSR/Plant Diseases - Diseases of Cultivated Plants.

, 0

Abs Jour : Ref Zhur Biol., No 1, 1959, 2002

Author : Tymchenko, L.F.

Inst : Moscow Agricultural Academy im. K.A. Timiryazev

Title : Influence of Micronutrients on Susceptibility of Sunflowers to Disease

Orig Pub : Dokl. Mosk. s.-kh. akad. im. K.A. Timiryazeva, 1957, vyp. 31, 144-151

Abstract: During 1955 (at Nemchinovka Station in Moskovskaya Oblast') and 1956 (at the training farm Cuchkhoz in Tambovskaya Oblast') a study was made of the influence of B and Mo separately and in combination with Cu on the susceptibility of the sunflower to diseases and on its harvest. Boron (effect and after-effect), applied as top-dressing accelerated the blossoming, decreased the number

0

Abs Jour : Ref Zhur Biol., No 1, 1959, 2002

of empty seeds, increased the seed yield 10 - 27%, and contributed toward increased resistance of the sunflower to rust, white and gray rot. Additional nutrition to the roots with B had only a negligible effect on the harvest and did not lessen the attack by diseases. Top-dressing with B in combination with Cu decreased suspeptibility to diseases by 28% and increased the yield of seed by 20%. Mo in side and top dressing did not have any effect on increasing resistance of the sunflower to diseases nor on augmenting the harvest. -- G.A. D'yakova

Card 2/2

USSR/Plant Diseases - Diseases of Cultivated Plants.

0

Abs Jour

: Ref Zhur Biol., No 1, 1959, 2003

Author

: Dudarev, Ye.I., Popova, T.T.

Inst

: All-Union Scientific Research Institute of Flax

Title

Basic Summary of Work on Plant Protection and Microbiolo-

gy

Orig Pub

Byul. nauchno-tekhn. inform. Vses. n.-i. in-ta l'na,

1957, No 4, 26-29

Abstract

The paper deals with the status of the problem of the infectability and protection of flax in the USSR and on the work of the All-Union Scientific Research Institure of Flax.

YUGOSLAVIA/Plant Diseases - Diseases of Cultivated Plants.

: Ref Zhur Biol., No 1, 1959, 2015 Abs Jour

Author

: Pivar, A., Gojko

Inst

Title

Commonly Encountered Diseases and Pests of Gardens and

Vineyards of Yugoslavia and Their Control

Orig Pub

: Bibliogr. Jugosli, 1957, 8, No 2, 69

Abstract

: No abstract.

Card 1/1

USSR/Plant Diseases - Diseases of Cultivated Plants.

Abs Jour : Ref Zhur Biol., No 1, 1959, 2013

Author

Paterilo, G.A.

Inst

Title

Control of Peach Leaf Curl

Orig Pub

: Sadovostvo, vinogradarstvo i vinodeliye Moldavii, 1958,

No 2, 59-60

Abstract

To control Exoascus deformans and aphids the spraying of peach trees is recommended in the early apring using a combined mixture (Bordeaux mixture +5 kg of undiluted 3 kg of 12% lindane) After blossoming 1 - 2 additional sprayings were applied using 0.5% solution of Bordeaux mixture supplemented with 0.3% anabasine sulphate. In the absence of aphids the spraying was performed without anabasine sulphate.

CHINA/Plant Diseases - Diseases of Cultivated Plants.

O

Abs Jour : Ref Zhur Biol., No 1, 1959, 2021

Author

: Chao Jung-Yu

Inst

\_

Title

: Blister Blight in Tea Caused by Exobasidium Vesans

Orig Pub

: Ch'a-yeh, 1958, No 1, 15-16

Abstract

No abstract.

Card 1/1

*#*1471

END

This publication was prepared under contract to the UNITED STATES JOINT PUBLICATIONS RESEARCH SERVICE, a federal government organization established to service the translation and research needs of the various government departments.